

	Hits	Search Text	DBs
1	6	(( "6151583" ) or ( "6026365" ) or ("5812989" ) or ( "5799297" ) or ("5855014" ) or ("6697821" ) ) .PN.	US-PGPUB; USPAT
2	0	("wo127833") .PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	0	"for operating a content management system".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	0	"method and system for operating a content management system".ti.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	41756	stor\$3 near9 lead\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	25842	5 and @ad <="20000315"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	61	6 and (content\$1 same manag\$4 same (generat\$4 or creat\$4 or build\$4 or structur\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	80	6 and (content\$1 same manag\$4) and (content\$1 with (generat\$4 or creat\$4 or build\$4 or structur\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	19	8 and publish\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	6	9 and workflow\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	2	10 and (access\$4 with (authoriz\$5 or privilege\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	4	10 not 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
13	13	9 not 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB